

# SAFETY DATA SHEET

Part No. P5944CT (Liquid)

Print Date: 11/11/2022  
Revision Date: 11/11/2022  
Supersedes Date: 10/19/2018  
Issue Date: 5/22/2006  
Version: 10.0 (EN)-US  
Page: 1/6

## 1004 Lubricating Oil - Pump Spray

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 1 - IDENTIFICATION

#### 1.1 Product Identifier

Product Name : 1004 Lubricating Oil - Pump Spray  
Manufacturer Product Number : P5944CT  
Supplier Product Numbers : 1004

#### 1.2 Other Means of Identification

Other Identifiers : Not Available

#### 1.3 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use : Gun cleaning product.  
Restrictions on Use : None Identified

#### 1.4 Supplier Details

	Manufacturer Details	Supplier Details
Company Name		Bushnell Holdings Inc.
Address		22101 West 167th St., Olathe, KS 66062 - United States
Phone Number		1-800-423-3537
Fax Number		
Email		dangerous.goods@vistaoutdoor.com
Website		

#### 1.5 24 hr Emergency Phone Number

Emergency Number : Emergency Telephone Number (Hazardous Material/Dangerous Goods Transportation Emergency ONLY)  
Emergency number: 1-800-424-9300 (Inside US), 01-703-527-3887 (Outside US) - (CHEMTREC, Day or Night)

### SECTION 2 - HAZARDS IDENTIFICATION

#### 2.1 Classification of the Substance or Mixture

This product does not meet the classification requirements of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### 2.2 Label Elements

This product does not meet the labeling requirements of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### 2.3 Other Hazards Which Do Not Result In Classification

Hazards Not Otherwise Classified : None Identified.

#### 2.4 Unknown acute toxicity

This product does not have any ingredients with an unknown acute toxicity.

### SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1 Substance / Mixture

Substance / Mixture : Mixture

#### 3.2 Composition

Substance name	CAS Number	% wt*	Classification
White Mineral Oil	8042-47-5	30 - 60	Asp. Tox. 1, H304

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

# SAFETY DATA SHEET

Part No. P5944CT (Liquid)

Print Date: 11/11/2022  
Revision Date: 11/11/2022  
Supersedes Date: 10/19/2018  
Issue Date: 5/22/2006  
Version: 10.0 (EN)-US  
Page: 2/6

## 1004 Lubricating Oil - Pump Spray

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 4 - FIRST-AID MEASURES

#### 4.1 Description of First-Aid Measures

General Measures	: If exposed or concerned: Get medical advice/attention.
Inhalation	: Remove person to fresh air and keep comfortable for breathing.
Skin Contact	: Wash skin with plenty of water.
Eye Contact	: Rinse eyes with water as a precaution.
Ingestion	: Call a poison center or a doctor if you feel unwell.
First-Aid Responder Protection	: Wear adequate personal protective equipment based on the nature and severity of the emergency.

#### 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms of Exposure	: Diarrhea.
Delayed Effects	: No known delayed effects.
Immediate Effects	: Aspiration hazard.
Chronic Effects	: No known chronic effects.
Target Organs	: None Identified.

#### 4.3 Indication of Immediate Medical Attention and Special Treatment

Notes to Physician	: Treat symptomatically.
Specific Treatments/Antidotes	: No Information Available.
Medical Conditions Aggravated	: May aggravate personnel with pre-existing disorders associated with any of the Target Organs.

### SECTION 5 - FIRE-FIGHTING MEASURES

#### 5.1 Suitable Extinguishing Media

Extinguishing Media	: Product is non-flammable. Use extinguishing media suitable for surrounding materials.
Unsuitable Media	: Avoid extinguishing media unsuitable for surrounding materials.

#### 5.2 Specific Hazards Arising from the Chemical or Mixture

Hazardous Combustion Products	: Decomposition products may include: oxides of carbon, smoke, vapors. See also Section 10.6.
Specific Hazards During Firefighting	: Contents are non-flammable. No known fire hazards.

#### 5.3 Special Protective Actions for Fire-Fighters

Firefighting Instructions	: Use water spray to cool fire exposed containers, as contents can rupture violently from heat developed pressure.
Protection during Firefighting	: Firemen should wear self-contained breathing apparatus with full face-piece operated in positive pressure mode.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel	: No action should be taken involving any personnel without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering.
For Emergency Personnel	: Use personal protection as recommended in Section 8. Observe precautions provided for non-emergency personnel above.

#### 6.2 Environmental Precautions

Environmental Precautions	: Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.
---------------------------	---

#### 6.3 Methods and Materials for Containment and Cleaning up

Containment Procedures	: Released content may be contained with oil/solvent absorbent pads, booms, and/or absorbents.
Cleanup Procedures	: Soak up material with inert absorbent and place in safety containers for proper disposal.
Other Information	: Not Available.

# SAFETY DATA SHEET

Part No. P5944CT (Liquid)

Print Date: 11/11/2022  
Revision Date: 11/11/2022  
Supersedes Date: 10/19/2018  
Issue Date: 5/22/2006  
Version: 10.0 (EN)-US  
Page: 3/6

## 1004 Lubricating Oil - Pump Spray

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Prohibited Materials** : Not Available.

### SECTION 7 - HANDLING AND STORAGE

#### 7.1 Precautions for Safe Handling

**General Handling Precautions** : KEEP OUT OF THE REACH OF CHILDREN.  
**Hygiene Recommendations** : Do not eat, drink or smoke when using this product. Wash hands thoroughly after use.

#### 7.2 Conditions for Safe Storage Including Any Incompatibilities

**Storage Requirements** : Keep containers closed when not in use. Do not store in open or unlabelled containers.  
**Incompatibilities** : Segregate storage away from materials indicated in Section 10.

### SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control Parameters

##### White Mineral Oil (8042-47-5)

ACGIH	ACGIH OEL TWA [ppm]	5 mg/m <sup>3</sup> Oil Mist
OSHA	OSHA PEL (TWA) [1]	5 mg/m <sup>3</sup> Oil Mist
NIOSH	NIOSH REL (TWA)	5 mg/m <sup>3</sup> Oil Mist
NIOSH	NIOSH REL (STEL)	10 mg/m <sup>3</sup> Oil Mist
California	California PEL (TWA) (mg/m3)	5 mg/m <sup>3</sup>

#### 8.2 Exposure Controls

**Engineering Measures** : Use only with adequate ventilation.

**Personal Protective Equipment**

**Eye / Face Protection** : Safety glasses with side shields are recommended as a minimum for any type of industrial chemical handling.

**Hand Protection** : Chemical-resistant gloves, tested according to ASTM F903-17.

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to the place of work.

**Skin and Body Protection** : For brief contact, no precautions other than clean body-covering clothing should be needed.

**Respiratory Protection** : Respiratory protection is not anticipated to be needed.

**Compliance** : If needed, compliance with OSHA standard 29 CFR 1910.134 is necessary.

**Other Protective Equipment** : Not Applicable.

**Environmental Exposure Controls** : Avoid release to the environment.

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Physical Properties

Boiling Point	260.00 °C	Melting / Freezing Point	Not Available
Flash Point, Liquid	221.00 °C		
Explosive Limits	Not Available	Autoignition Temperature, Liquid	325.00 °C
Flammability	Non-Flammable Liquid	Density	0.862 g/cm <sup>3</sup>
Molecular Weight	Not Available	Weight	7.189 lbs/gal
Vapor Pressure	Not Available	pH	Not Available
Vapor Density	Not Available	Evaporation Rate (nBAC=1)	Not Available
Viscosity	> 20.70 mm <sup>2</sup> /s (mm <sup>2</sup> /s)	Partition Coefficient (Log Pow)	Not Available
Odor Threshold	Not Available	Refractive Index	Not Available
Physical State	Liquid	Heat Of Combustion	Not Available
Appearance / Color	Clear, Colorless	Water Solubility	Not Available
Odor	Slight	Decomposition Temperature	Not Available

#### 9.2 Environmental Properties

Percent Volatile	0.00 % wt	VOC Regulatory	0.00 g/L (0.00 lbs/gal)
Percent VOC	0.00 % wt	VOC Actual	0.00 g/L (0.00 lbs/gal)

# SAFETY DATA SHEET

Part No. P5944CT (Liquid)

Print Date: 11/11/2022  
Revision Date: 11/11/2022  
Supersedes Date: 10/19/2018  
Issue Date: 5/22/2006  
Version: 10.0 (EN)-US  
Page: 4/6

## 1004 Lubricating Oil - Pump Spray

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Percent HAP	0.00 % wt	HAP Content	0.00 g/L (0.00 lbs/gal)
Global Warming Potential	0.00 GWP	Maximum Incremental Reactivity	0.0000 g O3/g
Ozone Depletion Potential	0.00 ODP		

## SECTION 10 - STABILITY AND REACTIVITY

### 10.1 Reactivity

Reactivity : No specific test data related to reactivity is available for this products or its ingredients.

### 10.2 Chemical Stability

Chemical Stability : This product is stable.

### 10.3 Possibility of Hazardous Reactions

Hazardous Reactions : Under normal conditions of storage and use, hazardous reactions are not expected to occur.

### 10.4 Conditions to Avoid

Conditions to Avoid : None Identified.

### 10.5 Incompatible Materials

Materials to Avoid : Strong Oxidizing Agents.

### 10.6 Hazardous Decomposition Products

Thermal Decomposition : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### 11.1 Information on Toxicological Effects

#### White Mineral Oil (CAS: 8042-47-5 / EC: 232-455-8)

LD50 Oral (Rat)	> 5000 mg/kg body weight (ChemInfo)
LD50 Dermal (Rabbit)	> 2000 mg/kg body weight (ChemInfo)

Routes Of Exposure	: Ingestion.
Delayed and Immediate Effects and Also Chronic Effects from Short and Long Term Exposure	: See Section 4.2
Skin Corrosion/Irritation	: Not classified
Eye Damage/Irritation	: Not classified
Respiratory or Skin Sensitization	: Not classified
Germ Cell Mutagenicity	: Not classified
Reproductive Toxicity	: Not classified
STOT-Single Exposure	: Not classified
STOT-Repeated Exposure	: Not classified
Aspiration Hazard	: Not classified
Carcinogen Data	: None of the ingredients in the product are listed with OSHA, IARC, NTP or ACGIH as being a suspected or known carcinogen in a concentration greater than 0.1% by weight.

## SECTION 12 - ECOLOGICAL INFORMATION

### 12.1 Ecotoxicity and Ecological Properties

#### White Mineral Oil (8042-47-5)

LC50 Fish	> 100 mg/l Rainbow Trout - 96hr
EC50 Daphnia	> 100 mg/l Water Flea - 48hr
Persistence and Degradability	Biodegradability 24% / 28 days.
Log Pow	> 6 (Calculated)
Bioaccumulative Potential	High potential for bioaccumulation (Log Kow > 5).

# SAFETY DATA SHEET

Part No. P5944CT (Liquid)

Print Date: 11/11/2022  
Revision Date: 11/11/2022  
Supersedes Date: 10/19/2018  
Issue Date: 5/22/2006  
Version: 10.0 (EN)-US  
Page: 5/6

## 1004 Lubricating Oil - Pump Spray

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 13 - DISPOSAL CONSIDERATIONS

#### 13.1 Waste Treatment Methods

- Waste Disposal** : Although this product is non-hazardous, contamination from a variety of means is possible. Waste stream classification can change with product use and location. It is the responsibility of the user to determine the proper storage, transportation, treatment, and/or disposal methodologies for spent materials and residues at the time of disposition. All waste must be disposed of in compliance with the respective national, federal, state, and/or local regulations.
- Waste Disposal Of Packaging** : Consult with your local landfill to determine if empty small containers can be disposed of along with regular trash pickup. For disposal of large containers (typically 10 gallons or larger), or for containers not suitable for landfill, a licensed reconditioner should be used.
- Landfill Precautions** : Not Available.
- Incineration Precautions** : Not Available.

### SECTION 14 - TRANSPORTATION INFORMATION

#### 14.1 UN Number DOT (USA) IATA (AIR) IMDG (OCEAN)

UN Number : NONE NONE NONE

#### 14.2 UN Proper Shipping Name DOT (USA) IATA (AIR) IMDG (OCEAN)

UN Proper Shipping Name : Non-Regulated Material Non-Regulated Material Non-Regulated Material

#### 14.3 Transport Hazard Class(es) DOT (USA) IATA (AIR) IMDG (OCEAN)

Transport Hazard Class(es) : None None None  
EmS Code : Not Applicable Not Applicable Not Applicable

#### 14.4 Packing Group DOT (USA) IATA (AIR) IMDG (OCEAN)

Packing Group : None None None

#### 14.5 Environmental Hazards DOT (USA) IATA (AIR) IMDG (OCEAN)

Marine Pollutant : No No No

#### 14.6 Special Precautions

Precautions : None Identified

#### 14.7 Transport in Bulk

Remarks : Not applicable for product as supplied

### SECTION 15 - REGULATORY INFORMATION

#### 15.1 Federal Regulations

- SARA Section 313** : This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.
- TSCA Section 12(b)** : This product or mixture is not known to contain a chemical or chemicals subject to the export notification requirements of section 12(b) of the Toxic Substances Control Act (TSCA) and 40 CFR Part 707, subpart D
- CERCLA Reportable Quantity** : This product or mixture is not known to contain a chemical or chemicals subject to the release reporting requirements of section 102 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

#### 15.2 State Regulations

- California Proposition 65** : This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

# SAFETY DATA SHEET

Part No. P5944CT (Liquid)

Print Date: 11/11/2022  
Revision Date: 11/11/2022  
Supersedes Date: 10/19/2018  
Issue Date: 5/22/2006  
Version: 10.0 (EN)-US  
Page: 6/6

## 1004 Lubricating Oil - Pump Spray

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### State Right-to-Know Lists

: None of the ingredients are known to appear on any state Right to Know list

## SECTION 16 - OTHER INFORMATION

### Indication of changes

Section	Changed item	Change
1	Supersedes	Modified
1	Revision date	Modified
9	Boiling point	Modified
9	Flash point	Modified
9	Density	Modified

### Disclaimer of Liability

The information contained herein is based upon data provided to us by our suppliers, and reflects our best judgement. However, no warranty of merchantability, fitness for any use, or any other warranty or guarantee is expressed or implied regarding the accuracy of such data, or the results to be obtained from use thereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of such application. This information is furnished upon the condition that the persons receiving it shall make their own determinations of the suitability of the material for any particular use. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist.